			AL	
Notice of Allowability	Application No.	Applicant(s)		
	09/941,163	ISHIKAWA, MASAF	ISHIKAWA, MASARU	
	Examiner	Art Unit		
	Joseph P. Martinez	2873		
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	(OR REMAINS) CLOSED in) or other appropriate commu RIGHTS. This application is s	this application. If not includ inication will be mailed in due	led course. THIS	
1. \square This communication is responsive to <u>9-9-05</u> .				
2. The allowed claim(s) is/are 11 and 13-15.				
3. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the:		or (f).		
1. Certified copies of the priority documents have been received.				
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the re	quirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give			NOTICE OF	
5. CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date	son's Patent Drawing Review -	:		
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in			e back) of	
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT			Note the	
Attachment(s)	• 	<u>.</u>	TO 450'	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		formal Patent Application (PT ummary (PTO-413),	O-152)	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/	Paper No./	Paper No./Mail Date 7. Examiner's Amendment/Comment		
Paper No./Mail Date			-	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🖾 Examiner's	Statement of Reasons for All	owance	

DETAILED ACTION

Election/Restrictions

This application is in condition for allowance except for the presence of claims 1-10 to an invention non-elected without traverse. Accordingly, claims 1-10 have been cancelled.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

1. Cancel withdrawn claims 1-10.

Allowable Subject Matter

Claims 11 and 13-15 allowed.

The following is an examiner's statement of reasons for allowance: the prior art taken alone or in combination fails to anticipate or fairly suggest the limitations of the claims, in such a manner that a rejection under 35 USC 102 or 103 would be proper.

The prior art fails to teach a combination of all the claimed features as presented in independent claim 11.

Specifically regarding claim 11, Davies et al. (5650876) teaches the state of the art of a pair of microlens arrays positioned to confront a display unit.

But, Davies et al. fails to explicitly teach a combination of all the claimed features including an attachment unit for detachably attaching a lens adapter to a communication terminal; an opening window formed on the attachment unit at a position confronting the display; and a panel unit for supporting the microlens unit and attached to the attachment unit in a manner moveable between a first position and a second position at which the microlens unit confronts the display unit and a second position at which the microlens does not confront the display unit, as claimed.

Specifically regarding claim 11, Snyder (6389268) teaches the state of the art of a lens adapter.

But, Snyder fails to explicitly teach a combination of all the claimed features including a microlens unit including a pair of microlens arrays and positioned to confront the display unit with a spacing substantially equal to a focal length of the microlens unit, as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/941,163

Art Unit: 2873

Conclusion

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph P. Martinez whose telephone number is 571-272-2335. The examiner can normally be reached on M-F 7:00 AM to 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps can be reached on 571-272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JPM 9-29-05

Hung Xuan Dang

i dializih Alaimiei